

Rampage Master Stream with Twist Shutoff - DISCONTINUED

STYLE 4460

Discontinued effective January 2024

A fixed gallonage master stream nozzle with built-in stream shaper designed for flows up to 1250 gpm (4800 lpm). Ideal for heavy-duty use on fixed monitors. Style 4460 has a twist shutoff.


Features

A fixed gallonage master stream nozzle with built-in stream shaper designed for flows up to 1250 gpm (4800 lpm). Ideal for heavy-duty use on fixed monitors. Style 4460 has a twist shutoff.

- Brass Material
- Manual Pattern Control
- 750 (500, 1000, & 1250) GPM (2800, 1900, 2800, & 4800 lpm) flow at 100 PSI (7 bar) *Factory set to 750 gpm (2800 lpm)- field changeable to 500 or 1000 gpm (1900 or 3800 lpm), spacers included with nozzle. Must specify 1250 gpm (4800 lpm).
- 2 1/2" (65 mm) Inlet
- No Teeth
- 9" (229 mm) Long
- 23 1/4 lbs. (10.5 kg)
- Compatible with Style 737 Foam Tube



Specifications

Style	4460	
Warranty		
Weight	23 1/4 lbs (10.6 kg)	
Type	Master Stream	
Material	Brass	
Brand	Rampage	
Length	9" (229 mm)	
Width	6" (153 mm)	
Height	8" (203 mm)	

Rampage Master Stream with Twist Shutoff - DISCONTINUED

STYLE 4460

Rampage Nozzle Specifications

A combination fog and straight stream, constant gallonage nozzle with a built-in stream shaper and a fixed 500, 750, 1000 or 1250 gpm flow setting. The nozzle shall have a 2 1/2" rigid female inlet, a built-in grease fitting, twist shutoff capability (style 4460 only), and corrosion resistant brass and stainless steel construction. The nozzle shall be capable of straight stream reach of over 200 feet and shall have a minimum wide fog angle of 90°.