

# 1 1/2 " Turbojet Tip with Twist Shutoff

## STYLE 1717

The Turbojet is a constant gallonage nozzle (flow remains the same in all patterns) with multiple flow settings for operator flow control. Use the Turbojet one time and see why it's the nozzle of choice by firefighters worldwide.

### Features

Features:

- Pattern Identification
- Larger more legible labels
- Simple to operate (1/4 turn from straight stream to fog)
- Raised lug marks straight stream for limited visibility operations
- Easy to service & repair
- Meets European Standard
- 100 psi (7 bar) standard, 75 psi (5 & 6 bar) optional
- Compatible with Quick Attach Foam Tube Style 792

### Applications/Solutions

- Mining



### Specifications

Style	1717
Certification(s)	
Warranty	
Weight	2 1/4 lbs (1.0 kg)
Type	Selectable Gallonage
Material	Pyrolite
Brand	TurboJet
Swivel Inlet	1 1/2" (38 mm)
Length	7 1/4" (175 mm)



# 1 1/2 " Turbojet Tip with Twist Shutoff

STYLE 1717



# 1 1/2 " Turbojet Tip with Twist Shutoff

## STYLE 1717

An Akron Brass Turbojet lightweight fog and straight stream tip Style 1717 with multiple fixed constant gallonage settings of 30-60-95-125 GPM (115-230-360-475 lpm) at 100, 87 or 75 psi (7, 6 or 5 bar) shall be provided. The tip shall have spinning teeth, multiple pattern detents, a rubber bumper with raised lug for pattern identification, and extruded Pyrolite body and sleeve. Tip includes a twist shutoff. The tip shall also have a minimum 110° angle at wide fog, a 1.5"(38 mm) swivel inlet, be capable of flushing without shutting down, and must meet all aspects of NFPA 1964 with test results available.